


DIMENSION(UNIT:mm)				A	14.2 ± 0.4	m/m
				B	28.5 ± 0.8	m/m
				C	7.0 ± 0.3	m/m
ELECTRICAL REQUIREMENTS						
MIN	90 OHM	TEST FREQ	25 MHz			
MIN	140 OHM	TEST FREQ	100 MHz			
MATERIAL (ui)		800 ± 25%				
WIRE		φ 0.65×100mm				
WINDING		1 Ts				

IMPEDANCE					DIMENSION (UNIT : mm)				
FREQ	25 MHz	100 MHz			A	B	C		
SPEC	MIN 90 OHM	MIN 140 OHM			14.2 ± 0.4	28.5 ± 0.8	7.0 ± 0.3		
1	111	183			14.23	28.57	7.18		
2	111	181			14.26	28.57	7.17		
3	110	183			14.31	28.62	7.16		
4	111	181			14.23	28.57	7.16		
5	111	183			14.25	28.54	7.19		
6	110	183			14.23	28.58	7.16		
7	111	182			14.26	28.61	7.20		
8	111	183			14.24	28.55	7.18		
9	111	184			14.28	28.55	7.14		
10	110	183			14.25	28.60	7.19		
\bar{X}	111	183			14.25	28.58	7.17		
R	1	3			0.08	0.08	0.06		

